

Papers by AUTHOR

1. “Search for $ZH \rightarrow \ell^+ \ell^- b\bar{b}$ production in 9.7 fb^{-1} of $p\bar{p}$ collisions with the D0 detector”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1303.3276 [hep-ex]
2. “Studies of W boson plus jets production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1302.6508 [hep-ex]
3. “Search for a Higgs boson in diphoton final states with the D0 detector in 9.6 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1301.5358 [hep-ex]
4. “Measurement of the differential cross sections for isolated direct photon pair production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1301.4536 [hep-ex]
5. “Search for the rare decay $B_s \rightarrow \mu\mu$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1301.4507 [hep-ex]
6. “Measurement of the ratio of differential cross sections $\sigma(p\bar{p} \rightarrow Z + b\text{jet})/\sigma(p\bar{p} \rightarrow Z + \text{jet})$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1301.2233 [hep-ex]
7. “Search for Higgs boson production in oppositely charged dilepton and missing energy final states in 9.7 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1301.1243 [hep-ex]
8. “Measurement of the combined rapidity and p_T dependence of dijet azimuthal decorrelations in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1212.1842 [hep-ex]
9. “Search for charged massive long-lived particles at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1211.2466 [hep-ex]
10. “Measurement of the $p\bar{p} \rightarrow W + b + X$ production cross section at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1210.0627 [hep-ex]
10.1016/j.physletb.2012.12.044
Phys. Lett. B **718**, 1314 (2013)
11. “Measurement of the ratio of three-jet to two-jet cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1209.1140 [hep-ex]

12. “Measurement of the semileptonic charge asymmetry in B^0 meson mixing with the D0 detector”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1208.5813 [hep-ex]
 10.1103/PhysRevD.86.072009
 Phys. Rev. D **86**, 072009 (2012)
13. “Limits on anomalous trilinear gauge boson couplings from WW , WZ and $W\gamma$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1208.5458 [hep-ex]
 10.1016/j.physletb.2012.10.062
 Phys. Lett. B **718**, 451 (2012)
14. “Search for the standard model Higgs boson in associated WH production in 9.7 fb^{-1} of $p\bar{p}$ collisions with the D0 detector”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1208.0653 [hep-ex]
 10.1103/PhysRevLett.109.121804
 Phys. Rev. Lett. **109**, 121804 (2012)
15. “Combined search for the standard model Higgs boson decaying to $b\bar{b}$ using the D0 Run II data set”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1207.6631 [hep-ex]
 10.1103/PhysRevLett.109.121802
 Phys. Rev. Lett. **109**, 121802 (2012)
16. “Evidence for a particle produced in association with weak bosons and decaying to a bottom-antibottom quark pair in Higgs boson searches at the Tevatron”
 T. Aaltonen *et al.* [CDF and D0 Collaborations].
 arXiv:1207.6436 [hep-ex]
 10.1103/PhysRevLett.109.071804
 Phys. Rev. Lett. **109**, 071804 (2012)
17. “Search for the standard model Higgs boson in $ZH \rightarrow \ell^+\ell^- b\bar{b}$ production with the D0 detector in 9.7 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1207.5819 [hep-ex]
 10.1103/PhysRevLett.109.121803
 Phys. Rev. Lett. **109**, 121803 (2012)
18. “Search for the standard model Higgs boson in the $ZH \rightarrow \nu\bar{\nu} b\bar{b}$ channel in 9.5 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1207.5689 [hep-ex]
 10.1016/j.physletb.2012.08.034
 Phys. Lett. B **716**, 285 (2012)
19. “Measurement of angular correlations of jets at $\sqrt{s} = 1.96$ TeV and determination of the strong coupling at high momentum transfers”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1207.4957 [hep-ex]
 10.1016/j.physletb.2012.10.003
 Phys. Lett. B **718**, 56 (2012)
20. “Measurement of the semileptonic charge asymmetry using $B_s^0 \rightarrow D_s\mu X$ decays”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1207.1769 [hep-ex]
 Phys. Rev. Lett. **110**, 011801 (2013)

21. “Search for Neutral Higgs Bosons in Events with Multiple Bottom Quarks at the Tevatron”
 T. Aaltonen *et al.* [CDF and D0 Collaborations].
 arXiv:1207.2757 [hep-ex]
 10.1103/PhysRevD.86.091101
 Phys. Rev. D **86**, 091101 (2012)
22. “Combination of the top-quark mass measurements from the Tevatron collider”
 T. Aaltonen *et al.* [CDF and D0 Collaborations].
 arXiv:1207.1069 [hep-ex]
 10.1103/PhysRevD.86.092003
 Phys. Rev. D **86**, 092003 (2012)
23. “Search for Higgs boson production in oppositely charged dilepton and missing energy events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1207.1041 [hep-ex]
 10.1103/PhysRevD.86.032010
 Phys. Rev. D **86**, 032010 (2012)
24. “Updated Combination of Searches for the Standard Model Higgs Boson at the D0 Experiment in 9.7 fb^{-1} of Data”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1207.0422 [hep-ex]
25. “Measurement of Leptonic Asymmetries and Top Quark Polarization in $t\bar{t}$ Production”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1207.0364 [hep-ex]
26. “Measurement of the differential cross section $d\sigma/dt$ in elastic $p\bar{p}$ scattering at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1206.0687 [hep-ex]
 10.1103/PhysRevD.86.012009
 Phys. Rev. D **86**, 012009 (2012)
27. “Study of the decay $B_s^0 \rightarrow J/\psi f_2'(1525)$ in $\mu^+ \mu^- K^+ K^-$ final states”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1204.5723 [hep-ex]
 10.1103/PhysRevD.86.092011
 Phys. Rev. D **86**, 092011 (2012)
28. “Measurement of the Λ_b^0 lifetime in the exclusive decay $\Lambda_b^0 \rightarrow J/\psi \Lambda^0$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1204.2340 [hep-ex]
 10.1103/PhysRevD.85.112003
 Phys. Rev. D **85**, 112003 (2012)
29. “Combination of searches for anomalous top quark couplings with 5.4 fb^{-1} of $p\bar{p}$ collisions”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1204.2332 [hep-ex]
 10.1016/j.physletb.2012.05.048
 Phys. Lett. B **713**, 165 (2012)
30. “Search for violation of Lorentz invariance in top quark pair production and decay”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1203.6106 [hep-ex]
 10.1103/PhysRevLett.108.261603
 Phys. Rev. Lett. **108**, 261603 (2012)

31. “Observation of a narrow mass state decaying into $\Upsilon(1S) + \gamma$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”

V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1203.6034 [hep-ex]
 10.1103/PhysRevD.86.031103
 Phys. Rev. D **86**, 031103 (2012)
32. “Measurement of the photon+ b -jet production differential cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”

V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1203.5865 [hep-ex]
 10.1016/j.physletb.2012.06.056
 Phys. Lett. B **714**, 32 (2012)
33. “Search for $Z\gamma$ events with large missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”

V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1203.5311 [hep-ex]
 10.1103/PhysRevD.86.071701
 Phys. Rev. D **86**, 071701 (2012)
34. “Search for the standard model Higgs boson in τ lepton pair final states”

V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1203.4443 [hep-ex]
 10.1016/j.physletb.2012.07.012
 Phys. Lett. B **714**, 237 (2012)
35. “Search for WH associated production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”

V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1203.1082 [hep-ex]
 10.1103/PhysRevD.86.032005
 Phys. Rev. D **86**, 032005 (2012)
36. “Measurement of the W Boson Mass with the D0 Detector”

V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1203.0293 [hep-ex]
 10.1103/PhysRevLett.108.151804
 Phys. Rev. Lett. **108**, 151804 (2012)
37. “Combination of CDF and D0 measurements of the W boson helicity in top quark decays”

T. Aaltonen *et al.* [CDF and D0 Collaborations].
 arXiv:1202.5272 [hep-ex]
 10.1103/PhysRevD.85.071106
 Phys. Rev. D **85**, 071106 (2012)
38. “Search for pair production of the scalar top quark in $\mu + \tau$ final states”

V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1202.1978 [hep-ex]
 10.1016/j.physletb.2012.03.028
 Phys. Lett. B **710**, 578 (2012)
39. “A measurement of the WZ and ZZ production cross sections using leptonic final states in 8.6 fb^{-1} of $p\bar{p}$ collisions”

V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1201.5652 [hep-ex]
 10.1103/PhysRevD.85.112005
 Phys. Rev. D **85**, 112005 (2012)
40. “Measurement of the top quark mass in $p\bar{p}$ collisions using events with two leptons”

V. M. Abazov *et al.* [D0 Collaboration].

arXiv:1201.5172 [hep-ex]
10.1103/PhysRevD.86.051103
Phys. Rev. D **86**, 051103 (2012)

41. “**An Improved determination of the width of the top quark**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1201.4156 [hep-ex]
10.1103/PhysRevD.85.091104
Phys. Rev. D **85**, 091104 (2012)
42. “**Search for Higgs bosons of the minimal supersymmetric standard model in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1112.5431 [hep-ex]
10.1016/j.physletb.2012.03.021
Phys. Lett. B **710**, 569 (2012)
43. “**Search for universal extra dimensions in $p\bar{p}$ collisions**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1112.4092 [hep-ex]
10.1103/PhysRevLett.108.131802
Phys. Rev. Lett. **108**, 131802 (2012)
44. “**Measurements of WW and WZ production in $W + \text{jets}$ final states in $p\bar{p}$ collisions**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1112.0536 [hep-ex]
10.1103/PhysRevLett.108.181803
Phys. Rev. Lett. **108**, 181803 (2012)
45. “ **$Z\gamma$ production and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ couplings in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1111.3684 [hep-ex]
10.1103/PhysRevD.85.052001
Phys. Rev. D **85**, 052001 (2012)
46. “**Search for a Narrow $t\bar{t}$ Resonance in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1111.1271 [hep-ex]
10.1103/PhysRevD.85.051101
Phys. Rev. D **85**, 051101 (2012)
47. “**Search for anomalous Wtb couplings in single top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1110.4592 [hep-ex]
10.1016/j.physletb.2012.01.014
Phys. Lett. B **708**, 21 (2012)
48. “**Measurement of the relative branching ratio of $B_s^0 \rightarrow J/\psi f_0(980) \rightarrow B_s^0 \rightarrow J/\psi\phi$** ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1110.4272 [hep-ex]
10.1103/PhysRevD.85.011103
Phys. Rev. D **85**, 011103 (2012)
49. “**Evidence for spin correlation in $t\bar{t}$ production**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1110.4194 [hep-ex]
10.1103/PhysRevLett.108.032004
Phys. Rev. Lett. **108**, 032004 (2012)

50. “**Measurement of the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1110.3771 [hep-ex]
 10.1103/PhysRevD.85.052006
 Phys. Rev. D **85**, 052006 (2012)
51. “**A Search for charged massive long-lived particles**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1110.3302 [hep-ex]
 10.1103/PhysRevLett.108.121802
 Phys. Rev. Lett. **108**, 121802 (2012)
52. “ **$W\gamma$ production and limits on anomalous $WW\gamma$ couplings in $p\bar{p}$ collisions**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1109.4432 [hep-ex]
 10.1103/PhysRevLett.107.241803
 Phys. Rev. Lett. **107**, 241803 (2011)
53. “**Measurement of the CP-violating phase $\phi_s^{J/\psi\phi}$ using the flavor-tagged decay $B_s^0 \rightarrow J/\psi\phi$ in 8 fb^{-1} of $p\bar{p}$ collisions**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1109.3166 [hep-ex]
 10.1103/PhysRevD.85.032006
 Phys. Rev. D **85**, 032006 (2012)
54. “**Model independent search for new phenomena in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1108.5362 [hep-ex]
 10.1103/PhysRevD.85.092015
 Phys. Rev. D **85**, 092015 (2012)
55. “**Measurements of single top quark production cross sections and $|V_{tb}|$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1108.3091 [hep-ex]
 10.1103/PhysRevD.84.112001
 Phys. Rev. D **84**, 112001 (2011)
56. “**Forward-backward asymmetry in top quark-antiquark production**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1107.4995 [hep-ex]
 10.1103/PhysRevD.84.112005
 Phys. Rev. D **84**, 112005 (2011)
57. “**Search for the standard model and a fermiophobic Higgs boson in diphoton final states**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1107.4587 [hep-ex]
 10.1103/PhysRevLett.107.151801
 Phys. Rev. Lett. **107**, 151801 (2011)
58. “**Search for first generation leptoquark pair production in the electron + missing energy + jets final state**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1107.1849 [hep-ex]
 10.1103/PhysRevD.84.071104
 Phys. Rev. D **84**, 071104 (2011)
59. “**Search for associated Higgs boson production using like charge dilepton events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].

- arXiv:1107.1268 [hep-ex]
 10.1103/PhysRevD.84.092002
Phys. Rev. D **84**, 092002 (2011)
60. “**Measurement of the anomalous like-sign dimuon charge asymmetry with 9 fb^{-1} of $p\bar{p}$ collisions**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1106.6308 [hep-ex]
 10.1103/PhysRevD.84.052007
Phys. Rev. D **84**, 052007 (2011)
61. “**Precision measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ and Extraction of V_{tb}** ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1106.5436 [hep-ex]
 10.1103/PhysRevLett.107.121802
Phys. Rev. Lett. **107**, 121802 (2011)
62. “**Search for neutral Minimal Supersymmetric Standard Model Higgs bosons decaying to τ pairs produced in association with b quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$** ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1106.4885 [hep-ex]
 10.1103/PhysRevLett.107.121801
Phys. Rev. Lett. **107**, 121801 (2011)
63. “**Search for Higgs bosons decaying to $\tau\tau$ pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$** ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1106.4555 [hep-ex]
 10.1016/j.physletb.2011.12.050
Phys. Lett. B **707**, 323 (2012)
64. “**Search for doubly-charged Higgs boson pair production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$** ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1106.4250 [hep-ex]
 10.1103/PhysRevLett.108.021801
Phys. Rev. Lett. **108**, 021801 (2012)
65. “**Bounds on an anomalous dijet resonance in $W+\text{jets}$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$** ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1106.1921 [hep-ex]
 10.1103/PhysRevLett.107.011804
Phys. Rev. Lett. **107**, 011804 (2011)
66. “**Direct measurement of the mass difference between top and antitop quarks**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1106.2063 [hep-ex]
 10.1103/PhysRevD.84.052005
Phys. Rev. D **84**, 052005 (2011)
67. “**Measurements of inclusive $W+\text{jets}$ production rates as a function of jet transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$** ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1106.1457 [hep-ex]
 10.1016/j.physletb.2011.10.011
Phys. Lett. B **705**, 200 (2011)
68. “**Precise measurement of the top-quark mass from lepton+jets events at D0**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1105.6287 [hep-ex]
 10.1103/PhysRevD.84.032004
Phys. Rev. D **84**, 032004 (2011)

69. “**Measurement of the $t\bar{t}$ production cross section using dilepton events in $p\bar{p}$ collisions**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1105.5384 [hep-ex]
10.1016/j.physletb.2011.09.046
Phys. Lett. B **704**, 403 (2011)
70. “**Model-independent measurement of t -channel single top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1105.2788 [hep-ex]
10.1016/j.physletb.2011.10.035
Phys. Lett. B **705**, 313 (2011)
71. “**Measurement of the production fraction times branching fraction $f(b \rightarrow \Lambda_b) \cdot \mathcal{B}(\Lambda_b \rightarrow J/\psi \Lambda)$** ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1105.0690 [hep-ex]
10.1103/PhysRevD.84.031102
Phys. Rev. D **84**, 031102 (2011)
72. “**Precise measurement of the top quark mass in the dilepton channel at D0**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1105.0320 [hep-ex]
10.1103/PhysRevLett.107.082004
Phys. Rev. Lett. **107**, 082004 (2011)
73. “**Measurement of spin correlation in $t\bar{t}$ production using a matrix element approach**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1104.5194 [hep-ex]
10.1103/PhysRevLett.107.032001
Phys. Rev. Lett. **107**, 032001 (2011)
74. “**Search for a fourth generation t' quark in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1104.4522 [hep-ex]
10.1103/PhysRevLett.107.082001
Phys. Rev. Lett. **107**, 082001 (2011)
75. “**Measurement of $\sin^2 \theta_{\text{eff}}^\ell$ and Z -light quark couplings using the forward-backward charge asymmetry in $p\bar{p} \rightarrow Z/\gamma^* \rightarrow e^+e^-$ events with $\mathcal{L} = 5.0 \text{ fb}^{-1}$ at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1104.4590 [hep-ex]
10.1103/PhysRevD.84.012007
Phys. Rev. D **84**, 012007 (2011)
76. “**Measurement of the ZZ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1104.3078 [hep-ex]
10.1103/PhysRevD.84.011103
Phys. Rev. D **84**, 011103 (2011)
77. “**Determination of the pole and MSbar masses of the top quark from the $t\bar{t}$ cross section**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1104.2887 [hep-ex]
10.1016/j.physletb.2011.08.015
Phys. Lett. B **703**, 422 (2011)
78. “**Measurement of three-jet differential cross sections $d\sigma_{3jet}/dM_{3jet}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].

- arXiv:1104.1986 [hep-ex]
 10.1016/j.physletb.2011.09.048
Phys. Lett. B **704**, 434 (2011)
79. “**Search for flavor changing neutral currents in decays of top quarks”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1103.4574 [hep-ex]
 10.1016/j.physletb.2011.06.014
Phys. Lett. B **701**, 313 (2011)
80. “**Combined CDF and D0 Upper Limits on Standard Model Higgs Boson Production with up to 8.2 fb^{-1} of Data”**
 T. Aaltonen *et al.* [CDF and D0 Collaborations].
 arXiv:1103.3233 [hep-ex]
81. “**Measurement of spin correlation in $t\bar{t}$ production using dilepton final states”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1103.1871 [hep-ex]
 10.1016/j.physletb.2011.05.077
Phys. Lett. B **702**, 16 (2011)
82. “**Search for the Standard Model Higgs Boson in the $H \rightarrow WW \rightarrow \ell\nu q'\bar{q}$ Decay Channel”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1101.6079 [hep-ex]
 10.1103/PhysRevLett.106.171802
Phys. Rev. Lett. **106**, 171802 (2011)
83. “**Azimuthal decorrelations and multiple parton interactions in photon+2 jet and photon+3 jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1101.1509 [hep-ex]
 10.1103/PhysRevD.83.052008
Phys. Rev. D **83**, 052008 (2011)
84. “**Measurement of the top quark pair production cross section in the lepton+jets channel in proton-antiproton collisions at $\sqrt{s}=1.96 \text{ TeV}$**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1101.0124 [hep-ex]
 10.1103/PhysRevD.84.012008
Phys. Rev. D **84**, 012008 (2011)
85. “**Measurement of color flow in $t\bar{t}$ events from $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1101.0648 [hep-ex]
 10.1103/PhysRevD.83.092002
Phys. Rev. D **83**, 092002 (2011)
86. “**Search for $W' \rightarrow tb$ resonances with left- and right-handed couplings to fermions”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1101.0806 [hep-ex]
 10.1016/j.physletb.2011.03.066
Phys. Lett. B **699**, 145 (2011)
87. “**Search for WH associated production in 5.3 fb^{-1} of $p\bar{p}$ collisions at the Fermilab Tevatron”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1012.0874 [hep-ex]
 10.1016/j.physletb.2011.02.036
Phys. Lett. B **698**, 6 (2011)

88. “Search for resonant WW and WZ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1011.6278 [hep-ex]
 10.1103/PhysRevLett.107.011801
 Phys. Rev. Lett. **107**, 011801 (2011)
89. “Measurement of the W boson helicity in top quark decays using 5.4 fb^{-1} of $p\bar{p}$ collision data”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1011.6549 [hep-ex]
 10.1103/PhysRevD.83.032009
 Phys. Rev. D **83**, 032009 (2011)
90. “Search for neutral Higgs bosons in the multi- b -jet topology in 5.2fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1011.1931 [hep-ex]
 10.1016/j.physletb.2011.02.062
 Phys. Lett. B **698**, 97 (2011)
91. “A measurement of the ratio of inclusive cross sections $\sigma(p\bar{p} \rightarrow Z + b \text{ jet})/\sigma(p\bar{p} \rightarrow Z + \text{jet})$ at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1010.6203 [hep-ex]
 10.1103/PhysRevD.83.031105
 Phys. Rev. D **83**, 031105 (2011)
92. “Search for single vector-like quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1010.1466 [hep-ex]
 10.1103/PhysRevLett.106.081801
 Phys. Rev. Lett. **106**, 081801 (2011)
93. “Precise study of the Z/γ^* boson transverse momentum distribution in $p\bar{p}$ collisions using a novel technique”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1010.0262 [hep-ex]
 10.1103/PhysRevLett.106.122001
 Phys. Rev. Lett. **106**, 122001 (2011)
94. “Determination of the width of the top quark”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1009.5686 [hep-ex]
 10.1103/PhysRevLett.106.022001
 Phys. Rev. Lett. **106**, 022001 (2011)
95. “Search for pair production of the scalar top quark in the electron+muon final state”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1009.5950 [hep-ex]
 10.1016/j.physletb.2010.12.052
 Phys. Lett. B **696**, 321 (2011)
96. “High mass exclusive diffractive dijet production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1009.2444 [hep-ex]
 10.1016/j.physletb.2011.10.013
 Phys. Lett. B **705**, 193 (2011)
97. “Measurement of $t\bar{t}$ production in the $\tau + \text{jets}$ topology using $p\bar{p}$ collisions at $\text{sqrt}s = 1.96$ TeV”

- V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1008.4284 [hep-ex]
10.1103/PhysRevD.82.071102
Phys. Rev. D **82**, 071102 (2010)
98. “Search for $ZH \rightarrow \ell^+ \ell^- b\bar{b}$ production in 4.2 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1008.3564 [hep-ex]
10.1103/PhysRevLett.105.251801
Phys. Rev. Lett. **105**, 251801 (2010)
99. “Search for New Fermions (‘Quarks’) at the Fermilab Tevatron Collider”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1008.3547 [hep-ex]
10.1103/PhysRevLett.105.211803
Phys. Rev. Lett. **105**, 211803 (2010)
100. “Search for events with leptonic jets and missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1008.3356 [hep-ex]
10.1103/PhysRevLett.105.211802
Phys. Rev. Lett. **105**, 211802 (2010)
101. “Search for a heavy neutral gauge boson in the dielectron channel with 5.4 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1008.2023 [hep-ex]
10.1016/j.physletb.2010.10.059
Phys. Lett. B **695**, 88 (2011)
102. “Search for diphoton events with large missing transverse energy in 6.3 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1008.2133 [hep-ex]
10.1103/PhysRevLett.105.221802
Phys. Rev. Lett. **105**, 221802 (2010)
103. “Search for sneutrino production in emu final states in 5.3 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1007.4835 [hep-ex]
10.1103/PhysRevLett.105.191802
Phys. Rev. Lett. **105**, 191802 (2010)
104. “Evidence for an anomalous like-sign dimuon charge asymmetry”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1007.0395 [hep-ex]
10.1103/PhysRevLett.105.081801
Phys. Rev. Lett. **105**, 081801 (2010)
105. “Search for flavor changing neutral currents via quark-gluon couplings in single top quark production using 2.3 fb^{-1} of $p\bar{p}$ collisions”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1006.3575 [hep-ex]
10.1016/j.physletb.2010.08.011
Phys. Lett. B **693**, 81 (2010)
106. “Search for the rare decay $B_s^0 \rightarrow \mu^+ \mu^-$ ”
V. M. Abazov *et al.* [D0 Collaboration].

- arXiv:1006.3469 [hep-ex]
 10.1016/j.physletb.2010.09.024
Phys. Lett. B **693**, 539 (2010)
107. “**Measurement of the $WZ \rightarrow \ell\nu\ell\ell$ cross section and limits on anomalous triple gauge couplings in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1006.0761 [hep-ex]
 10.1016/j.physletb.2010.10.047
Phys. Lett. B **695**, 67 (2011)
108. “**Measurement of the normalized $Z/\gamma^* \rightarrow \mu^+\mu^-$ transverse momentum distribution in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1006.0618 [hep-ex]
 10.1016/j.physletb.2010.09.012
Phys. Lett. B **693**, 522 (2010)
109. “**Search for scalar bottom quarks and third-generation leptoquarks in $p\bar{p}$ bar collisions at $\sqrt{s} = 1.96$ TeV”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1005.2222 [hep-ex]
 10.1016/j.physletb.2010.08.028
Phys. Lett. B **693**, 95 (2010)
110. “**Evidence for an anomalous like-sign dimuon charge asymmetry”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1005.2757 [hep-ex]
 10.1103/PhysRevD.82.032001
Phys. Rev. D **82**, 032001 (2010)
111. “**Combined Tevatron upper limit on $gg \rightarrow H \rightarrow W^+W^-$ and constraints on the Higgs boson mass in fourth-generation fermion models”**
 T. Aaltonen *et al.* [CDF and D0 Collaborations].
 arXiv:1005.3216 [hep-ex]
 10.1103/PhysRevD.82.011102
Phys. Rev. D **82**, 011102 (2010)
112. “**Search for Randall-Sundrum gravitons in the dielectron and diphoton final states with 5.4 fb^{-1} of data from $p\bar{p}$ collisions at $\text{sqrt}(s)=1.96$ TeV”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1004.1826 [hep-ex]
 10.1103/PhysRevLett.104.241802
Phys. Rev. Lett. **104**, 241802 (2010)
113. “**Measurement of direct photon pair production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1002.4917 [hep-ex]
 10.1016/j.physletb.2010.05.017
Phys. Lett. B **690**, 108 (2010)
114. “**Measurement of the dijet invariant mass cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”**
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:1002.4594 [hep-ex]
 10.1016/j.physletb.2010.09.013
Phys. Lett. B **693**, 531 (2010)
115. “ **b -Jet Identification in the D0 Experiment”**
 V. M. Abazov *et al.* [D0 Collaboration].

- arXiv:1002.4224 [hep-ex]
10.1016/j.nima.2010.03.118
Nucl. Instrum. Meth. A **620**, 490 (2010)
116. “**Combination of Tevatron searches for the standard model Higgs boson in the W^+W^- decay mode**”
T. Aaltonen *et al.* [CDF and D0 Collaborations].
arXiv:1001.4162 [hep-ex]
10.1103/PhysRevLett.104.061802
Phys. Rev. Lett. **104**, 061802 (2010)
117. “**Search for Higgs boson production in dilepton and missing energy final states with 5.4 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$** ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1001.4481 [hep-ex]
10.1103/PhysRevLett.104.061804
Phys. Rev. Lett. **104**, 061804 (2010)
118. “**Dependence of the $t\bar{t}$ production cross section on the transverse momentum of the top quark**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:1001.1900 [hep-ex]
10.1016/j.physletb.2010.09.011
Phys. Lett. B **693**, 515 (2010)
119. “**Search for the standard model Higgs boson in the $ZH \rightarrow \nu\bar{\nu}b\bar{b}$ channel in 5.2 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$** ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0912.5285 [hep-ex]
10.1103/PhysRevLett.104.071801
Phys. Rev. Lett. **104**, 071801 (2010)
120. “**Double parton interactions in photon+3 jet events in $p\bar{p}$ bar collisions $\sqrt{s} = 1.96 \text{ TeV}$** ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0912.5104 [hep-ex]
10.1103/PhysRevD.81.052012
Phys. Rev. D **81**, 052012 (2010)
121. “**Search for single top quarks in the $\tau+\text{jets}$ channel using 4.8 fb^{-1} of $p\bar{p}$ collision data**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0912.1066 [hep-ex]
10.1016/j.physletb.2010.05.003
Phys. Lett. B **690**, 5 (2010)
122. “**Search for the associated production of a b quark and a neutral supersymmetric Higgs boson which decays to τ pairs**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0912.0968 [hep-ex]
10.1103/PhysRevLett.104.151801
Phys. Rev. Lett. **104**, 151801 (2010)
123. “**Search for a resonance decaying into WZ boson pairs in $p\bar{p}$ collisions**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0912.0715 [hep-ex]
10.1103/PhysRevLett.104.061801
Phys. Rev. Lett. **104**, 061801 (2010)
124. “**Measurement of the $t\bar{t}$ cross section using high-multiplicity jet events**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0911.4286 [hep-ex]

- 10.1103/PhysRevD.82.032002
 Phys. Rev. D **82**, 032002 (2010)
125. “**Determination of the strong coupling constant from the inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0911.2710 [hep-ex]
 10.1103/PhysRevD.80.111107
 Phys. Rev. D **80**, 111107 (2009)
126. “**Direct measurement of the W boson width**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0909.4814 [hep-ex]
 10.1103/PhysRevLett.103.231802
 Phys. Rev. Lett. **103**, 231802 (2009)
127. “**Search for charged Higgs bosons in top quark decays**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0908.1811 [hep-ex]
 10.1016/j.physletb.2009.11.016
 Phys. Lett. B **682**, 278 (2009)
128. “**Measurement of the W boson mass**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0908.0766 [hep-ex]
 10.1103/PhysRevLett.103.141801
 Phys. Rev. Lett. **103**, 141801 (2009)
129. “**Combined measurements of anomalous charged trilinear gauge-boson couplings from diboson production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0907.4952 [hep-ex]
130. “**Measurement of trilinear gauge boson couplings from $WW + WZ \rightarrow l\nu jj$ events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0907.4398 [hep-ex]
 10.1103/PhysRevD.80.053012
 Phys. Rev. D **80**, 053012 (2009)
131. “**Measurement of $Z/\gamma^* + \text{jet} + X$ angular distributions in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0907.4286 [hep-ex]
 10.1016/j.physletb.2009.11.012
 Phys. Lett. B **682**, 370 (2010)
132. “**Measurement of the t-channel single top quark production cross section**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0907.4259 [hep-ex]
 10.1016/j.physletb.2009.11.038
 Phys. Lett. B **682**, 363 (2010)
133. “**A Novel method for modeling the recoil in W boson events at hadron collider**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0907.3713 [hep-ex]
 10.1016/j.nima.2009.08.056
 Nucl. Instrum. Meth. A **609**, 250 (2009)
134. “**Search for pair production of first-generation leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].

- arXiv:0907.1048 [hep-ex]
 10.1016/j.physletb.2009.10.016
Phys. Lett. B **681**, 224 (2009)
135. “Search for charged Higgs bosons in decays of top quarks”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0906.5326 [hep-ex]
 10.1103/PhysRevD.80.051107
Phys. Rev. D **80**, 051107 (2009)
136. “Measurement of dijet angular distributions at $\sqrt{s} = 1.96$ TeV and searches for quark compositeness and extra spatial dimensions”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0906.4819 [hep-ex]
 10.1103/PhysRevLett.103.191803
Phys. Rev. Lett. **103**, 191803 (2009)
137. “Search for Resonant Pair Production of long-lived particles decaying to $b\bar{b}$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0906.1787 [hep-ex]
 10.1103/PhysRevLett.103.071801
Phys. Rev. Lett. **103**, 071801 (2009)
138. “Direct measurement of the mass difference between top and antitop quarks”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0906.1172 [hep-ex]
 10.1103/PhysRevLett.103.132001
Phys. Rev. Lett. **103**, 132001 (2009)
139. “Search for squark production in events with jets, hadronically decaying τ leptons and missing transverse energy at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0905.4086 [hep-ex]
 10.1016/j.physletb.2009.08.002
Phys. Lett. B **680**, 24 (2009)
140. “Search for NMSSM Higgs bosons in the $h \rightarrow aa \rightarrow \mu\mu\mu\mu, \mu\mu\tau\tau$ channels using $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0905.3381 [hep-ex]
 10.1103/PhysRevLett.103.061801
Phys. Rev. Lett. **103**, 061801 (2009)
141. “Search for dark photons from supersymmetric hidden valleys”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0905.1478 [hep-ex]
 10.1103/PhysRevLett.103.081802
Phys. Rev. Lett. **103**, 081802 (2009)
142. “Search for CP violation in semileptonic B_s decays”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0904.3907 [hep-ex]
 10.1103/PhysRevD.82.012003, 10.1103/PhysRevD.83.119901
Phys. Rev. D **82**, 012003 (2010), [Erratum-ibid. D **83**, 119901 (2011)]
143. “Measurement of the top quark mass in final states with two leptons”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0904.3195 [hep-ex]
 10.1103/PhysRevD.80.092006
Phys. Rev. D **80**, 092006 (2009)

144. “**Measurement of the WW production cross section with dilepton final states in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV and limits on anomalous trilinear gauge couplings**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0904.0673 [hep-ex]
 10.1103/PhysRevLett.103.191801
Phys. Rev. Lett. **103**, 191801 (2009)
145. “**Combination of $t\bar{t}$ cross section measurements and constraints on the mass of the top quark and its decays into charged Higgs bosons**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0903.5525 [hep-ex]
 10.1103/PhysRevD.80.071102
Phys. Rev. D **80**, 071102 (2009)
146. “**Search for the standard model Higgs boson in τ final states**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0903.4800 [hep-ex]
 10.1103/PhysRevLett.102.251801
Phys. Rev. Lett. **102**, 251801 (2009)
147. “**Measurements of differential cross sections of $Z/\gamma^* + jets + X$ events in proton anti-proton collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0903.1748 [hep-ex]
 10.1016/j.physletb.2009.05.058
Phys. Lett. B **678**, 45 (2009)
148. “**Observation of Single Top Quark Production**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0903.0850 [hep-ex]
 10.1103/PhysRevLett.103.092001
Phys. Rev. Lett. **103**, 092001 (2009)
149. “**Measurement of the $Z/\gamma^* \rightarrow \nu\bar{\nu}\gamma$ cross section and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ couplings in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0902.2157 [hep-ex]
 10.1103/PhysRevLett.102.201802
Phys. Rev. Lett. **102**, 201802 (2009)
150. “**Measurement of the t anti-t production cross section and top quark mass extraction using dilepton events in $p\bar{p}$ collisions**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0901.2137 [hep-ex]
 10.1016/j.physletb.2009.07.032
Phys. Lett. B **679**, 177 (2009)
151. “**Search for Resonant Diphoton Production with the D0 Detector**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0901.1887 [hep-ex]
 10.1103/PhysRevLett.102.231801
Phys. Rev. Lett. **102**, 231801 (2009)
152. “**Search for admixture of scalar top quarks in the t anti-t lepton+jets final state at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0901.1063 [hep-ex]
 10.1016/j.physletb.2009.02.027
Phys. Lett. B **674**, 4 (2009)

153. “**Measurement of $\gamma + b + X$ and $\gamma + c + X$ production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0901.0739 [hep-ex]
 10.1103/PhysRevLett.102.192002
 Phys. Rev. Lett. **102**, 192002 (2009)
154. “**Search for associated production of charginos and neutralinos in the trilepton final state using 2.3 fb^{-1} of data**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0901.0646 [hep-ex]
 10.1016/j.physletb.2009.08.011
 Phys. Lett. B **680**, 34 (2009)
155. “**Search for anomalous top quark couplings with the D0 detector**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0901.0151 [hep-ex]
 10.1103/PhysRevLett.102.092002
 Phys. Rev. Lett. **102**, 092002 (2009)
156. “**Evidence for decay $B_s^0 \rightarrow D_s^{(*)} D_s^{(*)}$ and a measurement of $\Delta\Gamma_s^{CP}/\Gamma_s$** ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0811.2173 [hep-ex]
 10.1103/PhysRevLett.102.091801
 Phys. Rev. Lett. **102**, 091801 (2009)
157. “**Search for the lightest scalar top quark in events with two leptons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0811.0459 [hep-ex]
 10.1016/j.physletb.2009.04.039
 Phys. Lett. B **675**, 289 (2009)
158. “**Search for neutral Higgs bosons at high $\tan\beta$ in the $b(h/H/A) \rightarrow b\tau^+\tau^-$ channel**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0811.0024 [hep-ex]
 10.1103/PhysRevLett.102.051804
 Phys. Rev. Lett. **102**, 051804 (2009)
159. “**Evidence of $WW + WZ$ production with lepton + jets final states in proton-antiproton collisions at $\sqrt{s} = 1.96$ TeV**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0810.3873 [hep-ex]
 10.1103/PhysRevLett.102.161801
 Phys. Rev. Lett. **102**, 161801 (2009)
160. “**Measurement of the angular and lifetime parameters of the decays $B_d^0 \rightarrow J/\psi K^{*0}$ and $B_s^0 \rightarrow J/\psi\phi$** ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0810.0037 [hep-ex]
 10.1103/PhysRevLett.102.032001
 Phys. Rev. Lett. **102**, 032001 (2009)
161. “**Search for Long-Lived Charged Massive Particles with the D0 Detector**”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0809.4472 [hep-ex]
 10.1103/PhysRevLett.102.161802
 Phys. Rev. Lett. **102**, 161802 (2009)

162. “Search for Large extra spatial dimensions in the dielectron and diphoton channels in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0809.2813 [hep-ex]
 10.1103/PhysRevLett.102.051601
Phys. Rev. Lett. **102**, 051601 (2009)
163. “Observation of the doubly strange b baryon Ω_b^- ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0808.4142 [hep-ex]
 10.1103/PhysRevLett.101.232002
Phys. Rev. Lett. **101**, 232002 (2008)
164. “Search for pair production of second generation scalar leptoquarks”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0808.4023 [hep-ex]
 10.1016/j.physletb.2008.12.017
Phys. Lett. B **671**, 224 (2009)
165. “A Search for associated W and Higgs Boson production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0808.1970 [hep-ex]
 10.1103/PhysRevLett.102.051803
Phys. Rev. Lett. **102**, 051803 (2009)
166. “Measurement of $\sigma(p\bar{p} \rightarrow Z + X) \text{ Br}(Z \rightarrow \tau^+\tau^-)$ at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0808.1306 [hep-ex]
 10.1016/j.physletb.2008.11.010
Phys. Lett. B **670**, 292 (2009)
167. “Measurement of differential $Z/\gamma^* + \text{jet} + X$ cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0808.1296 [hep-ex]
 10.1016/j.physletb.2008.09.060
Phys. Lett. B **669**, 278 (2008)
168. “A search for the standard model Higgs boson in the missing energy and acoplanar b-jet topology at $\sqrt{s}=1.96$ ”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0808.1266 [hep-ex]
 10.1103/PhysRevLett.101.251802
Phys. Rev. Lett. **101**, 251802 (2008)
169. “Observation of ZZ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0808.0703 [hep-ex]
 10.1103/PhysRevLett.101.171803
Phys. Rev. Lett. **101**, 171803 (2008)
170. “Search for scalar leptoquarks and T -odd quarks in the acoplanar jet topology using 2.5 fb^{-1} of $p\bar{p}$ collision data at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].
 arXiv:0808.0446 [hep-ex]
 10.1016/j.physletb.2008.09.014
Phys. Lett. B **668**, 357 (2008)
171. “ $ZZ \rightarrow \ell^+\ell^-\nu\bar{\nu}$ production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV”
 V. M. Abazov *et al.* [D0 Collaboration].

- arXiv:0808.0269 [hep-ex]
10.1103/PhysRevD.78.072002
Phys. Rev. D **78**, 072002 (2008)
172. “**Measurement of the electron charge asymmetry in $p\bar{p} \rightarrow W + X \rightarrow e\nu + X$ events at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0807.3367 [hep-ex]
10.1103/PhysRevLett.101.211801
Phys. Rev. Lett. **101**, 211801 (2008)
173. “**Precise measurement of the top quark mass from lepton+jets events at D0**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0807.2141 [hep-ex]
10.1103/PhysRevLett.101.182001
Phys. Rev. Lett. **101**, 182001 (2008)
174. “**Search for anomalous Wtb couplings in single top quark production**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0807.1692 [hep-ex]
10.1103/PhysRevLett.101.221801
Phys. Rev. Lett. **101**, 221801 (2008)
175. “**Search for charged Higgs bosons decaying to top and bottom quarks in $p\bar{p}$ collisions**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0807.0859 [hep-ex]
10.1103/PhysRevLett.102.191802
Phys. Rev. Lett. **102**, 191802 (2009)
176. “**Search for third generation scalar leptoquarks decaying into τb** ”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0806.3527 [hep-ex]
10.1103/PhysRevLett.101.241802
Phys. Rev. Lett. **101**, 241802 (2008)
177. “**Search for long-lived particles decaying into electron or photon pairs with the D0 detector**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0806.2223 [hep-ex]
10.1103/PhysRevLett.101.111802
Phys. Rev. Lett. **101**, 111802 (2008)
178. “**Search for a scalar or vector particle decaying into $Z\gamma$ in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0806.0611 [hep-ex]
10.1016/j.physletb.2008.12.009
Phys. Lett. B **671**, 349 (2009)
179. “**Measurement of the forward-backward charge asymmetry and extraction of $\sin^2\theta_W^{(eff)}$ in $p\bar{p} \rightarrow Z/\gamma^* + X \rightarrow e^+e^- + X$ events produced at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0804.3220 [hep-ex]
10.1103/PhysRevLett.101.191801
Phys. Rev. Lett. **101**, 191801 (2008)
180. “**Search for Scalar Neutrino Superpartners in $e+\mu$ Final States in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV**”
V. M. Abazov *et al.* [D0 Collaboration].
arXiv:0711.3207 [hep-ex]
10.1103/PhysRevLett.100.241803
Phys. Rev. Lett. **100**, 241803 (2008)